for help during the preparation of this paper. I acknowledge Antarctic Division, DSIR, New Zealand, for their support at Cape Bird and the US Navy UXE-6 squadron for air transport.

LITERATURE CITED

EKLUND, C. R. 1961. Distribution and life-history studies of the South Polar Skua. Bird banding 32: 187-223.

SPELLERBEKG, IAN F. 1971. Aspects of McCormick Skua breeding. Ibis 113: 357-363.

TRILLMICH: 1978. Feeding territories and breeding success of South Polar Skuas. Auk 95: 23-33.

WOOD, R. C. 1971. Population dynamics of breeding South Polar Skuas of unknown age. Auk 88: 805-814.

YOUNG, E. C. 1963. The breeding behaviour of the South Polar Skua Catharacta maccormicki. Ibis 105: 203-233.

YOUNG, E. C. 1977. Egg-laying in relation to latitude in Southern Hemisphere skuas.

PAUL H. ENSOR, Department of Zoology, University of Canterbury, Christchurch.

SHORT NOTE

BLACK-WINGED PETRELS IN THE FAR NORTH

Several sightings have been made recently of Black-winged Petrels (Pterodroma nigripennis) flying around headlands in the Far North in broad daylight.

On 2 February 1978, Mrs Gillian Eller counted 13 of these birds flying around Hoopers Point, Spirits Bay, very early in the afternoon and she also saw 8 of them actually flying further inland over the camping ground. The birds were usually in pairs in tandem, wheeling and diving very low over the ground and then soaring high into the air and calling frequently.

Mr Vic Hensley had also noted similar behaviour of Blackwinged Petrels around North Cape the previous summer.

On 27 January 1979, Miss Helen Boutell, Vic Hensley and I saw some of these petrels in the air continuously during an afternoon walk out to Cape Maria van Dieman. They were first sighted overhead while still well over a kilometre from the coast behind Twilight Beach. A most spectacular display occurred out at the Cape with several pairs of birds chasing each other up and down the steep slope of a sand dune to within a few feet of us.

Is this behaviour a simulation of courtship display by young adults? Is the same behaviour to be observed at the known breeding grounds at this time of the year or are these birds possibly seeking new breeding areas?

R. N. THOMAS, 25 Ravenwood Drive, Auckland 10.